

P21328.A08

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. - 9. (canceled)

10. (currently amended) A bituminous draining road blanket comprising an upper partial layer and a lower partial layer wherein (a) the upper partial layer comprises a modified bituminous binder, aggregate having a first particle size distribution, and at least 2 % by weight of filler material and (b) the lower partial layer comprises a bituminous binder and aggregate having a second particle size distribution ~~which is larger than said first particle size distribution~~, a ratio of the second particle size distribution to the first particle size distribution being from about 3:1 to about 4:1.

11. (canceled)

12. (currently amended) The bituminous draining road blanket of claim ~~[[11]]~~ 10, wherein the first particle size distribution is selected from the ranges 2/4, 4/6 and 6/10.

13. (previously presented) The bituminous draining road blanket of claim 12, wherein the

P21328.A08

first particle size distribution comprises at least 95 % 4/6 range.

14. (previously presented) The bituminous draining road blanket of claim 10, wherein the second particle size distribution is selected from the ranges 10/14, 10/20 and 14/20.

15. (previously presented) The bituminous draining road blanket of claim 13, wherein the second particle size distribution comprises at least 95 % 10/14 range.

16. (canceled)

17. (canceled)

18. (previously presented) The bituminous draining road blanket of claim 14, wherein a void ratio of the lower partial layer is at least 25 %.

19. - 23. (canceled)

24. (currently amended) The bituminous draining road blanket of claim 10, wherein ~~a ratio of said second particle size distribution to said first particle size distribution is from about~~

P21328.A08

~~3:1 to about 4:1~~, the first particle size distribution is selected from the ranges 2/4, 4/6 and 6/10, the second particle size distribution is selected from the ranges 10/14, 10/20 and 14/20, a void ratio of the lower partial layer is at least about 25 %, and wherein the modified bituminous binder of the upper partial layer is present in an amount of at least 4 % by weight.

25. (currently amended) A road comprising a draining bituminous blanket on its surface, wherein said blanket comprises (a) an upper partial layer comprising a modified bituminous binder, aggregate having a first particle size distribution, and at least 2 % by weight of filler material and (b) a lower partial layer comprising a bituminous binder and aggregate having a second particle size distribution, ~~which is larger than said first particle size distribution a~~
ratio of the second particle size distribution to the first particle size distribution being from about 3:1 to about 4:1.

26. (previously presented) The road of claim 25, wherein a thickness of the upper partial layer is in the range from 1.5 cm to 2 cm.

27. (previously presented) The road of claim 26, wherein a thickness of the lower partial layer is in the range from 2.5 cm to 4 cm.

P21328.A08

28. (currently amended) A process for providing a road surface with a draining bituminous blanket comprising two layers, which process comprises applying, by a road finishing machine and in one of a single pass and two successive passes, a lower partial layer and an upper partial layer, the upper partial layer comprising a modified bituminous binder, aggregate having a first particle size distribution, and at least 2 % by weight of filler material and the lower partial layer comprising a bituminous binder and aggregate having a second particle size distribution, ~~which is larger than said first particle size distribution~~ a ratio of the second particle size distribution to the first particle size distribution being from about 3:1 to about 4:1.

29. (previously presented) The process of claim 28, wherein the layers are applied at a temperature of at least 135 °C.

30. (canceled)

31. (previously presented) The bituminous draining road blanket of claim 10, wherein the modified bituminous binder comprises a pure bitumen modified by a styrene-butadiene-styrene copolymer.

P21328.A08

32. (currently amended) The bituminous draining road blanket of claim ~~[[31]]~~ 24, wherein the modified bituminous binder comprises a pure bitumen modified by a styrene-butadiene-styrene copolymer.

33. -36. (canceled)